




Diamo il benvenuto a PART X

THE RIGHT VIBE FOR
INDUSTRIAL
AUTOMATION



PART X



sistema flessibile la cui
vibrazione **separa** e **orienta** i
componenti per permetterne il
prelievo dal robot



I MODELLI

PART X MAX

PART X 2




PART X 1

PART X MICRO





PART X MICRO



PARTS

1 to 10 mm

POWER SUPPLY

24V/4A

COMMUNICATIONS

Profinet, TCP / IP

SOFTWARE

PART X Configuration Tool

VIBRATION PLATE

Fiat, Holes (optional), Nests (optional)

VIBRATION DIRECTION




4 direction

BACKLIGHT

White (included) - Red (optional) - Green (optional)



PART X S



8

PARTS

10 to 40 mm

POWER SUPPLY

24V/4A

COMMUNICATIONS

Profinet, TCP / IP

SOFTWARE

PART X Configuration Tool

VIBRATION PLATE

Fiat, Holes (optional), Nests (optional)

VIBRATION DIRECTION




4 direction

BACKLIGHT

White (included) - Red (optional) - Green (optional)



PART X 1



PARTS

20 to 60 mm

POWER SUPPLY

24V/4A

COMMUNICATIONS

Profinet, TCP / IP

SOFTWARE

PART X Configuration Tool

VIBRATION PLATE

Fiat, Holes (optional), Nests (optional)

VIBRATION DIRECTION


4 direction

BACKLIGHT

White (included) - Red (optional) - Green (optional)






PART X 2



PARTS	50 to 120 mm
POWER SUPPLY	24V/4A
COMMUNICATIONS	Profinet, TCP / IP
SOFTWARE	PART X Configuration Tool
VIBRATION PLATE	Fiat, Holes (optional), Nests (optional)
VIBRATION DIRECTION	4 direction
BACKLIGHT	White (included) - Red (optional) - Green (optional)



PART X MAX




PARTS	80 to 250 mm
POWER SUPPLY	24V/4A
COMMUNICATIONS	Profinet, TCP / IP
SOFTWARE	PART X Configuration Tool
VIBRATION PLATE	Fiat, Holes (optional), Nests (optional)
VIBRATION DIRECTION	4 direction
BACKLIGHT	White (included) - Red (optional) - Green (optional)

PART X DISCHARGE SYSTEM



**SISTEMA DI
SVUOTAMENTO
AUTOMATICO**





GRAZIE PER L'ATTENZIONE